

BOARD OF
BUILDING AND SAFETY
COMMISSIONERS

MARSHA L. BROWN
PRESIDENT

VAN AMBATIELOS
VICE-PRESIDENT

VICTOR H. CUEVAS
HELENA JUBANY
ELENORE A. WILLIAMS

CITY OF LOS ANGELES

CALIFORNIA



ANTONIO R. VILLARAIGOSA
MAYOR

DEPARTMENT OF
BUILDING AND SAFETY
201 NORTH FIGUEROA STREET
LOS ANGELES, CA 90012

ANDREW A. ADELMAN, P.E.
GENERAL MANAGER

RAYMOND CHAN
EXECUTIVE OFFICER

Eagle Roofing Products
A Division of Burlingame Industries, Inc.
3546 North Riverside Avenue
Rialto, CA 92377

Attn: Gary L. Manlove
(909) 822-6000

RESEARCH REPORT: RR 25021
(CSI # 07320)

BASED UPON ICC EVALUATION SERVICE
REPORT NO. ESR- 1900

REEVALUATION DUE DATE:
October 1, 2010
Issued Date: August 1, 2009
Code: 2008 LABC

GENERAL APPROVAL - Eagle and Eaglelite Concrete Roofing Tiles: Capistrano, Malibu, Bel Air, and Ponderosa.

DETAILS

The above assemblies and/or products are approved when in compliance with the description, use, identification and findings of ICC Evaluation Service Report No.ESR-1900, dated March 1, 2009, of the ICC Evaluation Service, Incorporated. The report, in its entirety, is attached and made part of this general approval.

The part of the ICC Evaluation Service Report No.ESR-1900 marked by asterisks on the attached copy have been removed and/or revised by the Los Angeles Building Department in this approval.

The approval is subject to the following conditions:

1. The roof slope shall not be less than 2½:12.
2. For all new construction, including additions, the tile shall be installed over minimum 15/32" plywood.
3. Re-roofing shall comply with Section 1510 of the 2008 Los Angeles City Building Code. Where spaced sheathing boards exist, a minimum of 15/32" plywood shall be installed

RR 25021
Page 1 of 3

Eagle Roofing Products

RE: Eagle and Eaglelite Concrete Roofing Tiles:Capistrano, Malibu, Bel Air, and Ponderosa

prior to roofing installation. Roofing tiles shall not be installed over existing wood shakes or wood shingles.

4. The installation of the tiles in "High Wind Velocity Areas" shall be in accordance with Department Information bulletin P/BC 2008-016
5. Existing or modified roof framing and lateral load resisting system shall be adequate to support the vertical and lateral forces imposed by the tile roof covering. If installed weight of the tile is more than 6.0 psf, complete plans and structural calculations including vertical and lateral system shall be submitted to the Structural Plan Check Division of approval.

EXCEPTIONS:

1. Design calculations shall not be required when the total installed weight of the finished roof covering materials does not exceed the weight of the roof covering materials that are removed.
2. Design calculations for a one-story, single-family dwelling are not required when a report is submitted by a licensed engineer or architect and approved by the Superintendent of Building.

Eagle Roofing Products

RE: Eagle and Eaglelite Concrete Roofing Tiles:Capistrano, Malibu, Bel Air, and Ponderosa

DISCUSSION

The report is in compliance with 2008 Los Angeles Building Code.

The approval is based upon tests.

This general approval of an equivalent alternate to the Code is only valid where an engineer and/or inspector of this Department has determined that all conditions of this approval have been met in the project in which it is to be used.

Addressee to whom this Research Report is issued is responsible for providing copies of it, complete with any attachments indicated, to architects, engineers and builders using items approved herein in design or construction which must be approved by Department of Building and Safety Engineers and Inspectors.

This general approval will remain effective provided the Evaluation Report is maintained valid and unrevised with the issuing organization. Any revisions to the report must be submitted to this Department, with appropriate fee, for review in order to continue the approval of the revised report.

YEUAN CHOU, Chief
Engineering Research Section
201 N. Figueroa St., Room 880
Los Angeles, CA 90012
Phone - 213-202-9812
Fax - 213-202-9942

TV:tvo
RR25021/MSWord2003
R08/01/09
4C/1510

Attachment: ICC ES Report No. ESR-1900 (7 Pages)