Standard Select
Southwest

EAGLE ROOFING PRODUCTS

Capistrano
3636 Piedmont Blend

USA Owned. USA Made.

Ponderosa Staggered
5503 Sierra Madre

SIMPLE. *elegant*. SOLUTIONS.

from a company you can trust

Eagle is Curb Appeal and Infinite Choices

- Choose from an extensive collection of profiles, textures and dimensions
- Vast color offering in standard integral, ranges and multi-color blends
- Flat tiles offer a crisp, clean appearance for Modern, Colonial, Craftsman, French Provincial and Tudor architecture
- High profile Barrel tiles are beautiful and timeless, ideal for Mediterranean architecture
- Medium profile tiles complement Modern architectural designs, in addition to large commercial or residential buildings
- Concrete tile is the ideal alternative to slate, wood, stone coated metal, and asphalt roofing materials
- Tile roofs enhance curb appeal and maintain the value of the structure over time

Eagle is Peace of Mind

- USA Owned. USA Made.
- Best warranty in the industry
- Our tile is tested to the highest standards in the industry for fire, high-wind and freeze-thaw protection*
- Our customer service, sales and technical departments are here for you before, during and after the sale
- Our products are affordable and environmentally friendly

*Excludes color bonded/slurry tiles.

Ponderosa
5687 Brown Gray Range



Flat Profiles

Limitless options without compromise, Eagle's Flat Tile profiles offer graceful beauty, rugged strength and enhanced curb appeal. Available in a vast array of colors from warm earth tones and cool grays to refreshing natural hues ranging from green to eggplant—its crisp appearance complements both traditional and modern architecture. Depending on the look you are after, our Flat Tiles can emulate the texture and style of natural materials such as wood shake, clay and slate – and are a more affordable alternative.

See for yourself. Concrete roof tile never looked so good.

Bel Air
4602 Concord Blend

Bel Air

PER 100 SQ FT | **88.5** Tiles (3" headlap) | **970** Pounds (approx.)

Sometimes, the beauty is in the simplicity of the design. The Bel Air profile is a flat, smooth tile that offers clean lines and versatility to use on a variety of different architectural styles. Plus, it allows you to go heavier on other exterior elements such as pavers, stonework and landscaping, all of which will dramatically complement your Bel Air concrete tile roof. The choices are endless!



4203 San Fernando* - *Hues of Tan, Cream, Gray Flashed*
Ref: .55 Emi: .79 SRI: 62 A.SRI: 61 CRRC: 0918-0009 LEED†

4357 Sierra Ridge* - *Hues of Tan, Black, Cream Flashed*
Ref: .38 Emi: .77 SRI: 37 A.SRI: 34 CRRC: 0918-0020 LEED†

4502 Arcadia Canyon Brown - *Hues of Dark Brown, Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0043

4503 Sierra Madre - *Hues of Charcoal, Black Streaks*
Ref: .11 Emi: .92 SRI: 9 A.SRI: 12 CRRC: 0918-0111

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Bel Air

4511 Flintridge Gray - *Hues of Natural Gray, Black Streaks*
Ref: .21 Emi: .93 SRI: 22 A.SRI: 20 CRRC: 0918-0003

4520 Weathered Terracotta Flashed - *Hues of Light Terracotta, Black, Red Streaks*
Ref: .19 Emi: .93 SRI: 19 A.SRI: 20 CRRC: 0918-0038

4530 Weathered Adobe - *Hues of Tan, Rust Streaks*
Ref: .23 Emi: .92 SRI: 24 A.SRI: 27 CRRC: 0918-0017

4548 Palo Verde - *Hues of Light Green, Black, Maroon Streaks*
Ref: .21 Emi: .91 SRI: 21 A.SRI: 21 CRRC: 0918-0029

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

4549 Santa Paula - *Hues of Tan, Cream, Brown Streaks*
Ref: .20 Emi: .89 SRI: 18 A.SRI: 18 CRRC: 0918-0049

4576 Topanga - *Hues of Brown, Black, Peach Streaks*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 19 CRRC: 0918-0027

4602 Concord Blend - *Blend of Charcoal, Tan*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 15 CRRC: 0918-0107

NEW

4626 Rancho Cordova Blend - *Blend of Green, Gold, Purple*
Ref: .17 Emi: .93 SRI: 17 A.SRI: 18 CRRC: 0918-0040

4634 Kings Canyon Blend - *Blend of Dark Green, Tan, Red and Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0044

4645 Sunrise Blend - *Blend of Terracotta, Brown*
Ref: .18 Emi: .93 SRI: 18 A.SRI: 22 CRRC: 0918-0030

NEW

4646 Sunset Blend - *Blend of Medium Terracotta, Brown*
Ref: .16 Emi: .94 SRI: 16 A.SRI: 17 CRRC: 0918-0042

4680 Los Padres Blend - *Blend of Terracotta, Tan, Gray*
Ref: .24 Emi: .91 SRI: 25 A.SRI: 25 CRRC: 0918-0013

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Bel Air

4684 San Rafael Blend - *Blend of Purple, Tan*
Ref: .16 Emi: .91 SRI: 14 A.SRI: 18 CRRC: 0918-0068

4687 Brown Gray Range - *Range of Brown, Gray*
Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028

4689 Brown Range - *Range of Brown*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0026

4690 Pewter Bronze Blend - *Blend of Pewter Gray, Gold*
Ref: .17 Emi: .91 SRI: 16 A.SRI: 16 CRRC: 0918-0060

4697 Slate Range - *Range of Charcoal*
Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046

NEW

4723 Adobe Blend - *Blend of Maroon, Terracotta, Gray, Gold*
Ref: .17 Emi: .92 SRI: 16 A.SRI: 16 CRRC: 0918-0045

NEW

4880 Shasta Blend - *Blend of Brown, Natural Gray, Tan, w/Streaks*
Ref: .17 Emi: .94 SRI: 17 A.SRI: 23 CRRC: 0918-0098

NEW

4883 Hillsborough Blend - *Blend of Brown, Natural Gray, Light Brown, w/streaks*
Ref: .17 Emi: .94 SRI: 17 A.SRI: 20 CRRC: 0918-0098

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

NEW

4884 Alameda Range - *Range of Brown, Natural Gray*
Ref: .16 Emi: .94 SRI: 16 A.SRI: 18 CRRC: 0918-0095

Bel Air
4697 Slate Range

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Ponderosa Staggered
5671 Village Blend



Ponderosa

PER 100 SQ FT | **88.5** Tiles (3" headlap) | **970** Pounds (approx.)

A more durable and affordable alternative to natural wood shake, our Ponderosa tile has beautifully textured shadow lines that graze its surface to deliver a truly rustic wood appearance. If you are seeking remarkable curb appeal, a Ponderosa roof will complement many architectural styles including Prairie, Craftsman and Bungalow, to name a few.



5502 Arcadia Canyon Brown - *Hues of Dark Brown, Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0043

5503 Sierra Madre - *Hues of Charcoal, Black Streaks*
Ref: .11 Emi: .92 SRI: 9 A.SRI: 12 CRRC: 0918-0111

5511 Flintridge Gray - *Hues of Natural Gray, Black Streaks*
Ref: .21 Emi: .93 SRI: 22 A.SRI: 20 CRRC: 0918-0003

5520 Weathered Terracotta Flashed - *Hues of Light Terracotta, Black, Red Streaks*

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Ponderosa

5530 Weathered Adobe - *Hues of Tan, Rust Streaks*
Ref: .23 Emi: .92 SRI: 24 A.SRI: 27 CRRC: 0918-0017

5548 Palo Verde - *Hues of Light Green, Black, Maroon Streaks*

5549 Santa Paula - *Hues of Tan, Cream, Brown Streaks*

5557 Live Oak - *Hues of Rosy Brown, Dark Brown Streaks*
Ref: .18 Emi: .90 SRI: 16 A.SRI: 17 CRRC: 0918-0061

NEW

5602 Concord Blend - *Blend of Charcoal, Tan*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 15 CRRC: 0918-0107

5634 Kings Canyon Blend - *Blend of Dark Green, Tan, Red and Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0044

5645 Sunrise Blend - *Blend of Terracotta, Brown*
Ref: .18 Emi: .93 SRI: 18 A.SRI: 22 CRRC: 0918-0030

5670 Arroyo Tan Range - *Range of Tan*

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

NEW

5671 Village Blend - *Blend of Peachy Tan, Taupe, Brown, Dark Brown*
Ref: .17 Emi: .93 SRI: 17 A.SRI: 17 CRRC: 0918-0039

5687 Brown Gray Range - *Range of Brown, Gray*
Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028

5689 Brown Range - *Range of Brown*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0026

5690 Pewter Bronze Blend - *Blend of Pewter Gray, Gold*
Ref: .17 Emi: .91 SRI: 16 A.SRI: 16 CRRC: 0918-0060

Ponderosa
5502 Arcadia Canyon Brown

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Ponderosa

5699 Charcoal Range - *Range of Gray*
Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046

NEW



5808 Tombstone Blend - *Blend of Pewter Gray, Bronze, Tan, w/Streaks*
Ref: .17 Emi: .95 SRI: 18 A.SRI: 20 CRRC: 0918-0097

NEW



5809 Lomita Range - *Range of Light Brown, Medium Brown, Maroon*
Ref: .15 Emi: .95 SRI: 15 A.SRI: 18 CRRC: 0918-0093

Ponderosa
5699 Charcoal Range

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Staggered Installation

Installing flat tile with a staggered exposure is an easy way to give a home an "Old World" look. While staggered exposure tiles are a natural fit for architectural styles like English Cottage and French Country, this unique look can breathe new life into homes of many varied styles.





It is vitally important that the professional roofing contractor plans the entire roof layout prior to installing tiles, taking into consideration the weight and waste. Approximately half of the tiles on a staggered roof will have a shorter exposure than the other half. It will be essential to calculate the additional tiles required to create a unique staggered exposure roof prior to ordering product. Whether installing a staggered exposure tile roof with battens or without, it is imperative to make proper measurements when preparing the roof for installation. The first course at the eave will be installed normally with a standard exposure. The staggered exposure begins at the second course.

If battens are utilized, the staggered exposure is achieved by installing partial battens (no greater than 12" in length) immediately above the primary course battens beginning on the second course (as seen in upper inset illustration). The tiles with the shorter exposure will hang on the higher partial batten (see image). If a direct-to-deck application is utilized (no battens), a second set of chalk lines will be marked at each course, one line for the normal exposure and one for the staggered exposure tiles. This is based on a 1" stagger.

One more consideration is the water channel at the left side of the tile. The bottom of the water channel will be visible. Leaving this portion of the water channel exposed can detract from the desired look of the staggered roof, especially on steeper roof pitches where a majority of the face of each tile will be visible. If desired, exposed channel can be removed using a saw and/or tile nippers (as seen in lower inset illustration).

In the end, you can rest assured that flat tile with a staggered exposure will create an overall beautiful, unique look to your project.

Please note that although aesthetically stunning, staggered installations are extremely complicated and may cause layout and waterproofing complications. Your Roofing Contractor is ultimately responsible for the planning and proper installation of the tile.

Slate Inspiration

Around for centuries, slate is a beautiful roofing material that has been used on some of the world's greatest buildings. However, the weight and expense of slate has made it an unattainable commodity for many—until now. Eagle Roofing Products has created a distinguished, gorgeous collection that has been inspired by the oldest roofing product on earth. Emulating the look, feel and longevity of natural slate, our Tapered Slate and Textured Slate lines provide contrast and character to your residential or commercial roof in ways that appear subtle, yet distinctive.

Quality craftsmanship and architectural prestige, at a fraction of the cost of real or synthetic slate; that's what you can expect from our Slate Inspired collection.

Tapered Slate
49655 Mount Dora Blend

NEW

49581 Arcadia Canyon Brown - *Hues of Dark Brown, Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0043

NEW

49595 Dark Charcoal - *Hues of Dark Charcoal, Black Streaks*

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Tapered Slate

PER 100 SQ FT | **88.5** Tiles (3" headlap) | **970** Pounds (approx.)



Tapered Slate tile features a beautiful smooth texture, beveled sides and an aggressive chamfered edge treatment that highlights the inherent beauty of traditional slate. Colors range from a variety of timeless earth tones, producing a natural blend of varying depths for a brilliant roof that you will be proud of.



NEW

49602 Concord Blend - *Blend of Charcoal, Tan*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 15 CRRC: 0918-0107

NEW

49634 Kings Canyon Blend - *Blend of Dark Green, Tan, Red and Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0044

NEW

49655 Mount Dora Blend - *Blend of Gray, White, Black Streaks*
Ref: .17 Emi: .93 SRI: 17 A.SRI: 18 CRRC: 0918-0109

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Capistrano
3419 Marana



S-Profiles

Inspiration that will move you... *Eagle's high and medium barrel shaped profiles exude rich colors, unmatched aesthetics and timeless elegance. Whether you are looking to emulate the authentic look of Spanish tile in the Old World or wish for a more contemporary style while mirroring the Mediterranean appearance found in the roofscapes of Italy, France and Greece; you can rest assured that your curb appeal will be the envy of everyone in your neighborhood.*

Capistrano
3646 Sunset Blend

Capistrano

PER 100 SQ FT | **88.5** Tiles (3" headlap) | **900** Pounds (approx.)

A high S-profile tile, our Capistrano is semi-cylindrical and is the most traditionally recognized of all tile profiles. While you may think a Capistrano tile roof is suitable for only Spanish or Italian architecture, it actually offers stunning good looks that work well with any style, as it pairs nicely with stucco, stone or brick siding. It is used widely on residential, commercial, military and institutional buildings throughout the United States.



3106 Brentwood* - *Hues of Brown, Black Flashed*

3118 Terracotta Gold* - *Hues of Terracotta, Gold Flashed*
Ref: .37 Emi: .92 SRI: 42 A.SRI: 35 CRRC: 0918-0002 LEED†

3124 Hilo Sunset* - *Hues of Burnt Orange, Brown Flashed*

3125 Terracotta* - *Hues of Terracotta*
Ref: .34 Emi: .87 SRI: 36 A.SRI: 33 CRRC: 0918-0084

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Capistrano

3136 Mission Red Flashed* - *Hues of Red Brown, Black Flashed*

3203 San Fernando* - *Hues of Tan, Cream, Gray Flashed*
Ref: .55 Emi: .79 SRI: 62 A.SRI: 61 CRRC: 0918-0009 LEED†

3247 Sonora Vista* - *Hues of Almond, Pink, Gray Flashed*
Ref: .59 Emi: .83 SRI: 69 A.SRI: 74 CRRC: 0918-0005 LEED†

3258 Ridgecrest*-*Hues of Tan, Cream Flashed*
Ref: .51 Emi: .93 SRI: 61 A.SRI: 53 CRRC: 0918-0008 LEED†

3314 Mojave Shadows* - *Hues of Terracotta, Cream, Black Flashed*

NEW

3357 Sierra Ridge* - *Hues of Tan, Black, Cream Flashed*
Ref: .38 Emi: .77 SRI: 37 A.SRI: 34 CRRC: 0918-0020 LEED†

3419 Marana - *Hues of Orange Terracotta*



3520 Weathered Terracotta Flashed - *Hues of Light Terracotta, Black, Red Streaks*
Ref: .19 Emi: .93 SRI: 19 A.SRI: 20 CRRC: 0918-0038

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Capistrano
3548 Palo Verde

3522 Terracotta Flashed - *Hues of Terracotta, Black Streaks*
Ref: .19 Emi: .93 SRI: 19 A.SRI: 21 CRRC: 0918-0033

3530 Weathered Adobe - *Hues of Tan, Rust Streaks*
Ref: .23 Emi: .92 SRI: 24 A.SRI: 27 CRRC: 0918-0017

3538 Corona Red Flashed - *Hues of Red, Black Streaks*
Ref: .16 Emi: .95 SRI: 16 A.SRI: 17 CRRC: 0918-0035

3548 Palo Verde - *Hues of Light Green, Black, Maroon Streaks*
Ref: .21 Emi: .91 SRI: 21 A.SRI: 21 CRRC: 0918-00295

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Capistrano

3549 Santa Paula - *Hues of Tan, Cream, Brown Streaks*
Ref: .20 Emi: .89 SRI: 18 A.SRI: 18 CRRC: 0918-0049

NEW

3560 Caliente - *Hues of Red, Yellow Streaks*
Ref: .28 Emi: .88 SRI: 28 A.SRI: 28 CRRC: 0918-0011

3576 Topanga - *Hues of Brown, Black, Peach Streaks*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 19 CRRC: 0918-0027

NEW

3578 Ramona - *Hues of Clay Red, Maroon Streaks*
Ref: .15 Emi: .93 SRI: 14 A.SRI: 17 CRRC: 0918-0034

Capistrano
3626 Rancho Cordova Blend

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

3581 Arcadia Canyon Brown - *Hues of Dark Brown, Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0043

3602 Concord Blend - *Blend of Charcoal, Tan*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 15 CRRC: 0918-0107

3606 Vallejo Range - *Range of Dark Purple*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0048

3615 Weathered Terracotta Range - *Range of Terracotta*
Ref: .23 Emi: .87 SRI: 21 A.SRI: 24 CRRC: 0918-0015

NEW

3626 Rancho Cordova Blend - *Blend of Green, Gold, Purple*
Ref: .17 Emi: .93 SRI: 17 A.SRI: 18 CRRC: 0918-0040

NEW

3628 Knoxville Blend - *Blend of Gray, Red, Terracotta, Light Brown, Black Streaking*
Ref: .20 Emi: .93 SRI: 20 A.SRI: 23 CRRC: 0918-0100

3634 Kings Canyon Blend - *Blend of Dark Green, Tan, Red and Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0044

3636 Piedmont Blend - *Blend of Terracotta, Maroon, Brown*
Ref: .18 Emi: .90 SRI: 16 A.SRI: 20 CRRC: 0918-0066

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Capistrano

3645 Sunrise Blend - *Blend of Terracotta, Brown*
Ref: .18 Emi: .93 SRI: 18 A.SRI: 22 CRRC: 0918-0030

3646 Sunset Blend - *Blend of Medium Terracotta, Brown*
Ref: .16 Emi: .94 SRI: 16 A.SRI: 17 CRRC: 0918-0042

3680 Los Padres Blend - *Blend of Terracotta, Tan, Gray*
Ref: .24 Emi: .91 SRI: 25 A.SRI: 25 CRRC: 0918-0013

3684 San Rafael Blend - *Blend of Purple, Tan*
Ref: .16 Emi: .91 SRI: 14 A.SRI: 18 CRRC: 0918-0068

3687 Brown Gray Range - *Range of Brown, Gray*
Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028

3689 Brown Range - *Range of Brown*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0026

NEW

3690 Pewter Bronze Blend - *Blend of Pewter Gray, Gold*
Ref: .17 Emi: .91 SRI: 16 A.SRI: 16 CRRC: 0918-0060

3697 Slate Range - *Range of Charcoal*
Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

3698 Kona Red Range - *Range of Red*
Ref: .25 Emi: .83 SRI: 22 A.SRI: 28 CRRC: 0918-0018

3723 Adobe Blend - *Blends of Maroon, Terracotta, Gray, Gold*
Ref: .17 Emi: .92 SRI: 16 A.SRI: 16 CRRC: 0918-0045

3773 Walnut Creek Blend - *Blend of Tan, Orange, Dark Brown*
Ref: .20 Emi: .94 SRI: 21 A.SRI: 23 CRRC: 0918-0037

NEW

3813 San Mateo Blend - *Blend of Brown, Red, Tan, Light Terracotta*
Ref: .19 Emi: .93 SRI: 19 A.SRI: 21 CRRC: 0918-0090



Capistrano
3773 Walnut Creek Blend

NEW

3785 Clay Springs - *Hues of Dark Brown, Golden Brown, Yellow Flashed*

NEW

SCC 8825 Corona Del Mar Blend - *Blend of Dark Brown, Tan, Maroon, Brown Streaks*
Ref: .14 Emi: .90 SRI: 11 A.SRI: 16 CRRC: 0918-0074

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Malibu
2549 Santa Paula



Malibu

PER 100 SQ FT | **88** Tiles (3" headlap) **903** Pounds (approx.)

Malibu tile has gentle curves, which adds visual interest and striking effects, easily complementing modern architectural designs and large buildings. It's particularly effective on distinctive homes, apartments, hotels, places of worship and commercial structures. It's the best of both worlds, where Mediterranean meets Contemporary.



2106 Brentwood* - *Hues of Brown, Black Flashed*

2118 Terracotta Gold* - *Hues of Terracotta, Gold Flashed*
Ref: .37 Emi: .92 SRI: 42 A.SRI: 35 CRRC: 0918-0002 LEED†

2124 Hilo Sunset* - *Hues of Burnt Orange, Brown Flashed*

2125 Terracotta* - *Hues of Terracotta*
Ref: .34 Emi: .87 SRI: 36 A.SRI: 33 CRRC: 0918-0084

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Malibu

2136 Mission Red Flashed* - *Hues of Red Brown, Black Flashed*

2203 San Fernando* - *Hues of Tan, Cream, Gray Flashed*
Ref: .55 Emi: .79 SRI: 62 A.SRI: 61 CRRC: 0918-0009 LEED†

2247 Sonora Vista* - *Hues of Almond, Pink, Gray Flashed*
Ref: .59 Emi: .83 SRI: 69 A.SRI: 74 CRRC: 0918-0005 LEED†

2357 Sierra Ridge* - *Hues of Tan, Black, Cream Flashed*
Ref: .38 Emi: .77 SRI: 37 A.SRI: 34 CRRC: 0918-0020 LEED†

NEW

2419 Marana - *Hues of Orange Terracotta*

2511 Flintridge Gray - *Hues of Natural Gray, Black Streaks*
Ref: .21 Emi: .93 SRI: 22 A.SRI: 20 CRRC: 0918-0003

2520 Weathered Terracotta Flashed - *Hues of Light Terracotta, Black, Red Streaks*
Ref: .19 Emi: .93 SRI: 19 A.SRI: 20 CRRC: 0918-0038

2522 Terracotta Flashed - *Hues of Terracotta, Black Streaks*
Ref: .19 Emi: .93 SRI: 19 A.SRI: 21 CRRC: 0918-0033

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

2530 Weathered Adobe - *Hues of Tan, Rust Streaks*
Ref: .23 Emi: .92 SRI: 24 A.SRI: 27 CRRC: 0918-0017

2538 Corona Red Flashed - *Hues of Red, Black Streaks*
Ref: .16 Emi: .95 SRI: 16 A.SRI: 17 CRRC: 0918-0035

2548 Palo Verde - *Hues of Light Green, Black, Maroon Streaks*
Ref: .21 Emi: .91 SRI: 21 A.SRI: 21 CRRC: 0918-00295

2549 Santa Paula - *Hues of Tan, Cream, Brown Streaks*
Ref: .20 Emi: .89 SRI: 18 A.SRI: 18 CRRC: 0918-0049

2576 Topanga - *Brown, Black, Peach Streaks*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 19 CRRC: 0918-0027

NEW

2578 Ramona - *Clay Red, Maroon Streaks*
Ref: .15 Emi: .93 SRI: 14 A.SRI: 17 CRRC: 0918-0034

2581 Arcadia Canyon Brown - *Hues of Dark Brown, Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0043

NEW

2602 Concord Blend - *Blend of Charcoal, Tan*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 15 CRRC: 0918-0107

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Malibu

2606 Vallejo Range - *Range of Dark Purple*
Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0048

NEW

2634 Kings Canyon Blend - *Blend of Dark Green, Tan, Red and Black Streaks*
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0044

2636 Piedmont Blend - *Blend of Terracotta, Maroon, Brown*
Ref: .18 Emi: .90 SRI: 16 A.SRI: 20 CRRC: 0918-0066

2645 Sunrise Blend - *Blend of Terracotta, Brown*
Ref: .18 Emi: .93 SRI: 18 A.SRI: 22 CRRC: 0918-0030

2687 Brown Gray Range - *Range of Brown, Gray*
Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028

2697 Slate Range - *Range of Charcoal*
Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046

2698 Kona Red Range - *Range of Red*
Ref: .25 Emi: .83 SRI: 22 A.SRI: 28 CRRC: 0918-0018

NEW

2773 Walnut Creek Blend - *Blend of Tan, Orange, Dark Brown*
Ref: .20 Emi: .94 SRI: 21 A.SRI: 23 CRRC: 0918-0037

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles.
Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Signature
Blends of Blends

Lush Blends + Personal Style = Stunning Color Combinations

A refined twist to playing with color, our Signature Blends of Blends line emulates the classic look of real clay tiles with natural blends that allow greater flexibility in creating the most traditional to the most contemporary of roof designs. Use our virtually limitless color palette to create a distinct blend for your residential or commercial project. A ***handcrafted work of art, we encourage you to go ahead and explore the possibilities.***

Colors showcased in the house photos may not be available in your area. Similar palettes may be available and suggested as an alternative by your local Eagle Account Representative.

Inspiration That Commands Attention

Oakey browns, warm coppers, rusty golds, charcoal hues, plum undertones...
This is just a snippet of the color options you have at your disposal to create your own custom Signature Blends of Blends. Your sense of style will shine through with captivating color blends that will make your roof and your home uniquely yours.

Achieving the Signature Blends of Blends Appearance

The blends featured are a small sampling of the vast color possibilities available. Note some colors may not be available in your area. To create your own Signature Blends of Blends look, we encourage you to contact your local Eagle Account Representative who can assist you in this process. Signature Blends of Blends do not come pre-packaged or blended in the pallet and are to be purchased individually. Eagle Roofing Products recommends that you discuss the design effect and percentage of each color with your Roofer, prior to installation, to ensure that you achieve the desired look and that no hot spots (patches of color that undo the blended effect) are created. Your Roofing Contractor is responsible for blending the colors during the loading of and installation of the tiles in order to create the Signature Blends of Blends design, ensuring that the placement of the tile is completed in an aesthetically pleasing manner.

Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative. Colors showcased in the house photos may not be available in your area. Similar palettes may be available and suggested as an alternative by your local Eagle Account Representative.

3581 Arcadia Canyon Brown - *Hues of Dark Brown, Black Streaks*

3549 Santa Paula - *Hues of Tan, Cream, Brown Streaks*

3581 Arcadia Canyon Brown
3549 Santa Paula

3636 Piedmont Blend
3723 Adobe Blend

3636 Piedmont Blend - *Blend of Terracotta, Maroon, Brown*

3723 Adobe Blend - *Blends of Maroon, Terracotta, Gray, Gold*

Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative. Colors showcased in the house photos may not be available in your area. Similar palettes may be available and suggested as an alternative by your local Eagle Account Representative.

Signature Blends of Blends

3646 Sunset Blend - *Blend of Medium Terracotta, Brown*

3548 Palo Verde - *Hues of Light Green, Black, Maroon Streaks*

3646 Sunset Blend
3548 Palo Verde

3785 Clay Springs
3689 Brown Gray Range



3785 Clay Springs - *Hues of Dark Brown, Golden Brown, Yellow Flashed*

3689 Brown Range - *Range of Brown*

Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative. Colors showcased in the house photos may not be available in your area. Similar palettes may be available and suggested as an alternative by your local Eagle Account Representative.

Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative. Colors showcased in the house photos may not be available in your area. Similar palettes may be available and suggested as an alternative by your local Eagle Account Representative.

Capistrano—Boosted
3645 Sunrise Blend

Boosted Capistrano Accessories

Seeking the genuine look of old Spanish tile without the premium cost of a clay roof? Realize your vision with Eagle's Boosted Capistrano. Your home will dazzle with rustic touches of Old World charm that bring the genuine look of natural clay to life. All this with the peace of mind that your concrete tile roof is designed to last the life of your structure, ***while adding undeniable character to your exterior space.***

Boosted Capistrano Accessories

It's easy to create the beauty of an authentic mortar-boosted clay roof with our Boosted Capistrano accessory pieces. Available in a wide range of colors, these pieces were designed to complement your Capistrano tile. For best results, mix your Boosted color and base color as this will add to the authenticity of your roof.

Considerations:

- Choose a Boosted accessory piece to go with your base tile. For color options, please contact an Eagle Account Representative.
- Decide on the look that you want. Prefer a neater treatment? Want a more authentic look?
- Decide how much boost you would like.

No matter what type of Boosted application you choose, your new Eagle Boosted Capistrano roof will be sure to impress.

% used on roof	Approx. installed weight field tile per 100 sq ft
10% Application	990
20% Application	1080
30% Application	1170

Each Boosted piece weighs approximately 4.8 lbs.



Close-Up of Boosted Eave

approx. 10% Overall Boost | approx. 990 lbs per square

approx. 20% Overall Boost | approx. 1080 lbs per square

approx. 30% Overall Boost | approx. 1170 lbs per square

Why Eagle Roofing Products *and Concrete Roof Tile*

Eagle Roofing Products is the largest, USA owned concrete roof tile manufacturer in the United States. For over 25 years, we have excelled in providing our customers with durable, energy efficient and environmentally friendly concrete roof tiles that are beautiful and timeless.

Eagle Roofing Products

Whether you are building a new home or re-roofing your existing one, your home deserves the best roof possible. When you choose Eagle concrete tile, you'll get a roof that is aesthetically stunning, durable and sustainable.

Founded over 25 years ago by Robert Burlingame, Eagle began operations in the fall of 1989 with one high-pressure concrete tile extrusion machine. Today, Eagle's Rialto, California facility is the largest in North America. In addition to Rialto, we operate facilities in Phoenix, Arizona as well as Stockton, California and Sumterville, Florida meeting the demand for concrete roof tile across the United States and Canada.

Our expertise, coupled with our extensive array of profiles and colors, enables us to provide our customers with high quality concrete roofing products that are beautiful, long-lasting and environmentally friendly.

Eagle's long experience in the roof tile industry and dedication to prompt personal response to its customers' needs have resulted in a well-deserved reputation for quality and service—a reputation that is unmatched.

Eagle is customer service.

Unsurpassed Beauty, Strength and Longevity

When you choose a concrete tile roof from Eagle Roofing Products, you are choosing years of protection and peace of mind. Our tile is tested to the highest standards of the industry. A properly installed Eagle Tile Roof will withstand the elements through rain, snow, high wind and scorching heat – outperforming all other roofing products, while remaining aesthetically stunning.

Fire Tested – Eagle Roof Tile is a Class A roof covering that will protect your home and personal property.

High Wind Tested – Installed correctly, Eagle Roof Tile can survive the strongest storms and harshest weather. Eagle tile is tested and approved for use in the Miami Dade high velocity hurricane zone, withstanding sustained winds of up to 180mph.

Hail/Impact Tested* – Eagle Roof Tile manufactured at our Pheonix, Arizona facility has a Class 3 Impact Resistance rating for all Capistrano, Malibu and Flat tiles, as described in FM 4473. Some insurance companies offer discounted premiums for houses with tile roofs because of its impact resistance.

***Freeze Thaw Protection –** Eagle Roof Tile passes Freeze-Thaw requirements. **Excludes color bonded/slurry tiles.*

*Roofing material lifespan over 75 years.**



Number of times a reroof is required within 75 years*.

**From the NAHB Study of Roofing Materials Life Expectancy.*

Tile Roofing Is Simply The Superior Choice

New Construction · Reroof · Residential · Commercial

***Tile**. Sustainable, aesthetically superior protection.*

***Asphalt Shingle.** Temporary, basic roof covering.*

HOW DOES TILE COMPARE TO ASPHALT SHINGLES?

- Real tile roofs are no longer only "round and red". Tile roofs are available in a variety of profiles and colors.
- Tile roofs are produced from ALL natural products - concrete or clay.
  - Tile roofs are not plastic, resin, rubber or metal.
  - Tile roofs do not warp, rust or bend.
- Tile roofs are heavier than asphalt shingles. Weight equates to longevity, thermal superiority, weather, impact resistance and much more.
- Tile roofs invite extreme weather conditions, while asphalt shingle manufacturers base their sales projections on how many of their roofs will need replacing every year.
  - Tile can withstand sustained winds of up to 180mph*
  - Class A Roof Covering
  - Freeze-Thaw (Excludes color bonded/slurry tiles)
- Asphalt shingles are not distinctive.
- Asphalt shingles are not environmentally friendly, as they are a petroleum based product and fill landfills.
- Asphalt shingles do not perform well in hail storms. Roofers swarm neighborhoods subjected to the slightest hail storm.
- Synthetics and plastic products lack a proven track record as a long-lasting and durable roofing product.
- Asphalt shingles are easily damaged by high winds, especially after they age, dry out, lose granules and crack.
- Shingles are not resistant to extreme temperature variations, lending to cracking and loss of color, as they are dependent on granules that are temporarily adhered to the shingle.

**High Wind Installation Methods that have been tested to withstand wind speeds of up to 180mph are available. Please contact your local Eagle Account Representative or the Tile Roofing Institute (www.tileroofing.org) for more information.*

O'HAGIN VENT
RIDGE
VALLEY
PIPE FLASHING
COURSE
SIDEWALL
HEADWALL
EAVE

The Anatomy of a Tile Roof

Whether you are building a new home or re-roofing an existing home or commercial building, a new roof is a significant investment. Our goal here at Eagle is to not only educate you on concrete roof tile, but also give you a brief overview of the different parts that make up a roof, so you can talk knowledgeably to your contractor or builder and get your project off on the right foot.

O'Hagin Vents: Generally installed near the top ridgeline of the roof, exhaust vents are designed to allow warm air to escape the attic area of the home, helping to conserve energy within the living space.

Course: Each row of tile is called a course.

Rake: The outer sloped edge of a roofline.

Sidewall: The inner edge of the roof where the tile meets a vertical wall.

Headwall: The top edge of the roof where the tile meets a vertical wall.

Ridge: The top-most edge of a roof where two opposing slopes meet.

Hip: The sloping ridge of a roof where two perpendicular slopes meet.

Valley: The internal sloping angle of a roof where two perpendicular slopes meet.

Eave: Outer edge of the roof downslope.

Pipe Flashing: Metal sleeve and skirt that covers a pipe and its roof opening.

Still have questions? Don't hesitate to reach out to one of our friendly and knowledgeable Eagle Account Representatives. Find your Rep. by visiting: www.eagleroofing.com

Manufacturing Facilities Servicing

Every customer is different. Every project is different. We understand.

Whether you are an Architect, Builder, Designer, Distributor, Roofer or Homeowner, with four manufacturing plants servicing the United States and Canada, our customers can rest assured that we have the right products to meet their needs. Quality products and customer relationships are the core of our business. That's what inspires us to be your company of choice. That's what makes us different.

the United States and Canada

The color represented in this inspirational photo may not be available in your area. Similar palettes, available in your region, may be suggested as an alternative by your local Eagle Account Representative.

Committed to your Trust and Satisfaction

Approvals

IAPMO ER #1900

Specifying Eagle

Every effort has been made to provide you with the tools you need to specify Eagle on your next residential or commercial project. You can find these tools on our website at www.eagleroofing.com under the main tab Resources – Design Professionals.

Installation

Eagle recommends that you find a licensed and insured Roofer for all of your roofing needs. Detailed installation recommendations can be found in the *Concrete and Clay Roof Tile Installation Manual (July 2015)* published by the Tile Roofing Institute & Western States Roofing Contractor Association. For further information, please visit: www.tileroofing.org

Blended Tile

Blended tile provides added value and beauty to any architectural structure. However, it requires careful placement by your Roofing Contractor, who is responsible for ensuring that the placement of the tile is completed in an aesthetically pleasing manner. Eagle Roofing Products recommends that you discuss this design effect with your Roofer, prior to installation, to ensure that no hot spots (patches of color that undo the blended effect) are created.

Warranty

As the largest USA Owned, USA Made concrete roof tile manufacturer, Eagle Roofing Products proudly stands behind its products with a Lifetime Transferable Limited Product Warranty. We recommend that all customers read our warranty for details and conditions, which can be found at www.eagleroofing.com.

Disclaimer

Eagle Roofing Products concrete roof tile is made from natural materials and color variations are to be expected. Every effort has been made to ensure the colors in this brochure are as close to the actual roof tile; however, photographic and printing techniques can alter the printed colors shown, varying it from actual tile colors. In addition, colors are subject to change, as slight variations in color or flashing may occur during manufacturing. To ensure your satisfaction with the tile you chose from this brochure, we strongly recommend that you obtain a free tile sample from your Roofing Contractor, an Eagle Design Center or an Eagle Account Representative before placing your order.

Visit an Eagle Design Center

A beautiful roof is one of the most important architectural elements of a home or building. So why not visit an Eagle Design Center, where you can see our huge selection of colors, textures, styles and products? Whether you need tile samples, design consultation, technical specifications, installation guides or more, our knowledgeable professionals are here to support you every step of the way.

Southwest Eagle Design Center

Free Email and Phone Consultations Available

Phoenix
4608 W. Elwood
Phoenix, AZ 85043
Phone: 602-346-1749

Manufacturing & Stocking Yard

Servicing the States of Arizona, New Mexico, Oklahoma and Texas

Phoenix
4602 W. Elwood
Phoenix, AZ 85043
Customer Service Phone: 800-346-5260

EAGLE ROOFING PRODUCTS

Corporate Offices
3546 N. Riverside Ave.
Rialto, CA 92377
Phone: 909-822-6000
www.eagleroofing.com

Connect with us!

Eagle is proud to be affiliated with these organizations:

TILE ROOFING INSTITUTE ARCAT

© 2017 Eagle Roofing Products. 7/2017